**PE FOAM** 


# **DATA SHEET**

# soniflex

## soni RESIST Box

- ► The sound-proofing elements of our soni RESIST Box are made of a closed-cell polyethylene foam with sound-insulating as well as sound-absorbing properties. The highly effective "jigsaw-puzzle" elements are available in two different sizes. This makes it possible to build tailor-made casings for compressors, pumps and other noise sources.
- **Soni RESIST Box** in black is suitable for outdoor use due to the special UV stabilization.

Colors: black (UV-resistant), white



TECHNICAL DATA		
FLAMMABILITY	<ul> <li>DIN 4102, tested according to B1 (white)</li> <li>DIN 4102, tested according to B2 (black)</li> <li>Fulfills the strict fire safety standard for the automotive industry (FMVSS 302, DIN 75 200)</li> <li>ISO 3795, burning rate &lt; 100 mm/min</li> </ul>	
TEMPERATURE RESISTANCE	►-50°C to +80°C (short-term: up to 100°C for 30 min per day)	
THERMAL CONDUCTIVITY / ISO 8301	►≤ 0.082 W/(m·K) at -5°C	
WATER ABSORPTION / UNI EN 12088	► Water pick up by diffusion (RH > 95% after 28 days) < 4% Vol.  Advice: In case of direct weather exposure, the cut edges and the exposed side need to be covered.	


DIMENSIONS					
	PRODUCT	THICKNESS / TOLERANCE [mm]	DIMENSION / TOLERANCE [mm]	WEIGHT PER ELEMENT	
	RESIST BOX	50 -0/+8	Large: 944 X 500 ± 5	Large: 600 g	
			Small: 500 x 500 ± 5	Small: 300 g	

DELIVERY FORM	BENEFITS
Available in two sizes	<ul> <li>Good sound insulation and sound attenuation effects</li> <li>Very good stability and sturdiness</li> <li>Good flammability characteristics</li> <li>Dirt-repellent and easy to clean</li> </ul>

## SOUND TRANSMISSION LOSS

#### **APPLICATIONS**

► Test procedure similar to DIN EN ISO 10140-2



► Its excellent sound-insulating and sound-absorbing properties make the soni RESIST Box perfect for use as a versatile compressor enclosure. The noise level can be reduced by almost 50 %. Even pool pumps that are exposed to the weather can be perfectly

insulated thanks to the UV stability of the black acoustic elements.





#### PLEASE SEE OUR PROCESSING AND STORAGE INSTRUCTIONS


Details and values given in this leaflet are average values and have been compiled with care. They are not binding, however, and Cellofoam International GmbH & Co. KG disclaims any liability for any damages and detriments, also in connection with any third party's rights. The information given does not release the hypers from making the necessary experiments and tests themselves. Subject to technical changes. For updates please go to our website.


Cellofoam International GmbH & Co. KG Business unit soniflex P: +49 7351 340 28 61 sales@soniflex.de / www.soniflex.de

#### VERSION 03/21



## **ASSEMBLY INSTRUCTIONS**







TO THE INSTALLATION VIDEO

